



DIN 605 (4.8, 8.8, 10.9)

ČSN 02 1327 (4.8, 8.8, 10.9) zápustné šrouby se čtyřhranem do dřeva





Specifikace

d	c	D	x	v
M 6	7,00	16,00	120°	6,00
M 8	9,00	20,00	120°	8,00
M 10	11,00	24,00	120°	10,00
M 12	14,00	28,00	120°	12,00

Balení

Balení v krabici / ks		krabice/ks
6 x 30	DIN 605 (4.8, 8.8, 10.9)	300
6 x 35	DIN 605 (4.8, 8.8, 10.9)	300
6 x 40	DIN 605 (4.8, 8.8, 10.9)	250
6 x 45	DIN 605 (4.8, 8.8, 10.9)	200
6 x 50	DIN 605 (4.8, 8.8, 10.9)	200
6 x 55	DIN 605 (4.8, 8.8, 10.9)	300
6 x 60	DIN 605 (4.8, 8.8, 10.9)	300
8 x 30	DIN 605 (4.8, 8.8, 10.9)	200
8 x 35	DIN 605 (4.8, 8.8, 10.9)	150
8 x 40	DIN 605 (4.8, 8.8, 10.9)	150
8 x 45	DIN 605 (4.8, 8.8, 10.9)	250
8 x 50	DIN 605 (4.8, 8.8, 10.9)	250
8 x 55	DIN 605 (4.8, 8.8, 10.9)	200
8 x 60	DIN 605 (4.8, 8.8, 10.9)	200
8 x 65	DIN 605 (4.8, 8.8, 10.9)	200
8 x 70	DIN 605 (4.8, 8.8, 10.9)	150
8 x 75	DIN 605 (4.8, 8.8, 10.9)	150
8 x 80	DIN 605 (4.8, 8.8, 10.9)	150
10 x 40	DIN 605 (4.8, 8.8, 10.9)	200
10 x 45	DIN 605 (4.8, 8.8, 10.9)	150
10 x 50	DIN 605 (4.8, 8.8, 10.9)	150
10 x 55	DIN 605 (4.8, 8.8, 10.9)	150
10 x 60	DIN 605 (4.8, 8.8, 10.9)	100
10 x 65	DIN 605 (4.8, 8.8, 10.9)	100
10 x 70	DIN 605 (4.8, 8.8, 10.9)	100
10 x 75	DIN 605 (4.8, 8.8, 10.9)	100
10 x 80	DIN 605 (4.8, 8.8, 10.9)	100

10 x 90	DIN 605 (4.8, 8.8, 10.9)	80
10 x 100	DIN 605 (4.8, 8.8, 10.9)	60
12 x 50	DIN 605 (4.8, 8.8, 10.9)	100
12 x 55	DIN 605 (4.8, 8.8, 10.9)	80
12 x 60	DIN 605 (4.8, 8.8, 10.9)	80
12 x 65	DIN 605 (4.8, 8.8, 10.9)	80
12 x 70	DIN 605 (4.8, 8.8, 10.9)	60
12 x 75	DIN 605 (4.8, 8.8, 10.9)	60
12 x 80	DIN 605 (4.8, 8.8, 10.9)	60
12 x 90	DIN 605 (4.8, 8.8, 10.9)	50
12 x 100	DIN 605 (4.8, 8.8, 10.9)	50