


## **DIN 11014 (12.9)**


### **Plough bolts with 2 nibs, with nuts DIN 934 (10.9)**

#### **THE MOST PARTICULAR USE**

The bolts to machinery of VOGEL & NOOT

The most often used bolt 12 x 35





## Specifications

| d    | c    | D     | x   | v    | s     | m     |
|------|------|-------|-----|------|-------|-------|
| M 10 | 5,50 | 19,00 | 90° | 3,20 | 17,00 | 8,00  |
| M 12 | 7,50 | 24,00 | 90° | 3,60 | 19,00 | 10,00 |
| M 14 | 9,50 | 28,00 | 90° | 4,00 | 22,00 | 11,00 |

The bolts DIN 11014 do fit to machinery of OEM VOGEL & NOOT, AMAZONE and many others.

## Packaging

| Packed in boxes / pcs |                  | Packaging without nuts | Packaging with nuts |
|-----------------------|------------------|------------------------|---------------------|
| 10 x 25               | DIN 11014 (12.9) | 200                    | 150/150             |
| 10 x 30               | DIN 11014 (12.9) | 150                    | 100/100             |
| 10 x 35               | DIN 11014 (12.9) | 150                    | 100/100             |
| 10 x 40               | DIN 11014 (12.9) | 100                    | 100/100             |
| 10 x 45               | DIN 11014 (12.9) | 100                    | 50/50               |
| 10 x 50               | DIN 11014 (12.9) | 100                    | 50/50               |
| 10 x 55               | DIN 11014 (12.9) | 100                    | 50/50               |
| 10 x 60               | DIN 11014 (12.9) | 150                    | 100/100             |
| 10 x 70               | DIN 11014 (12.9) | 150                    | 100/100             |
| 10 x 80               | DIN 11014 (12.9) | 100                    | 50/50               |
| 10 x 90               | DIN 11014 (12.9) | 80                     | 50/50               |
| 10 x 100              | DIN 11014 (12.9) | 80                     | 50/50               |

|          |                  |     |         |
|----------|------------------|-----|---------|
|          |                  |     |         |
| 12 x 30  | DIN 11014 (12.9) | 100 | 50/50   |
| 12 x 35  | DIN 11014 (12.9) | 100 | 50/50   |
| 12 x 40  | DIN 11014 (12.9) | 150 | 100/100 |
| 12 x 45  | DIN 11014 (12.9) | 150 | 100/100 |
| 12 x 50  | DIN 11014 (12.9) | 100 | 100/100 |
| 12 x 55  | DIN 11014 (12.9) | 100 | 50/50   |
| 12 x 60  | DIN 11014 (12.9) | 90  | 50/50   |
| 12 x 65  | DIN 11014 (12.9) | 90  | 50/50   |
| 12 x 70  | DIN 11014 (12.9) | 80  | 50/50   |
| 12 x 75  | DIN 11014 (12.9) | 80  | 50/50   |
| 12 x 80  | DIN 11014 (12.9) | 60  | 50/50   |
| 12 x 85  | DIN 11014 (12.9) | 60  | 50/50   |
| 12 x 90  | DIN 11014 (12.9) | 50  | 50/50   |
| 12 x 100 | DIN 11014 (12.9) | 50  | 50/50   |
|          |                  |     |         |
| 14 x 35  | DIN 11014 (12.9) | 50  | 50/50   |
| 14 x 40  | DIN 11014 (12.9) | 50  | 50/50   |
| 14 x 45  | DIN 11014 (12.9) | 50  | 50/50   |
| 14 x 50  | DIN 11014 (12.9) | 50  | 50/50   |
| 14 x 60  | DIN 11014 (12.9) | 50  | 50/50   |
| 14 x 70  | DIN 11014 (12.9) | 50  | 50/50   |
| 14 x 80  | DIN 11014 (12.9) | 50  | 50/50   |
| 14 x 90  | DIN 11014 (12.9) | 50  | 50/50   |